


# Scheduling Activity Phase Guy Swope David Hyde Tony Cetuk Neil Clabough

**14 December 1994** 



# **Scheduling Activity Phase**

Scheduling Overview
Scheduling Context Diagram
Design and Scenarios


• Pre-Scheduling Guy Swope

• Initial Scheduling David Hyde


• Final Scheduling Tony Cetuk

Daily Scheduling Neil Clabough


• Late Changes Neil Clabough




# **Scheduling External Interfaces**




# **Scheduling Context Diagram**





# **Scheduling Overview**




### **Primary Objectives:**

- Produce an integrated, conflict-free schedule of activities for spacecraft, instrument and ground resources
- Create the spacecraft stored command load and ground script based upon the conflict-free schedule

### **Functions:**

- Integrate and constraint check instrument and subsystem schedules
- Provide global visibility to conflict information throughout schedule development for conflict resolution
- Establish TDRSS contact times
- Generate the Absolute Time Command (ATC) load from the conflict free schedule
- Generate the Ground Script load from the conflict free schedule
- Manage the reception, creation and generation of RTS, Table, microprocessor and Flight Software loads



# **Scheduling Activity Scope**

# AM-1 with evolution to subsequent missions Instruments

ASTER, CERES, MISR, MODIS, MOPITT

### **Spacecraft subsystems**

Power subsystem, Solid State Recorder, Navigation


**NCC TDRSS scheduling** 

### **Ground resources**


Wallops, DSN, GN

**Geographically distributed Instrument planning teams** 

Japan, LaRC, Toronto, GSFC, JPL



# **Scheduling Overview**



# Sample Day of AM-1 FOS Scheduling Activities



Example of concurrent scheduling activities occurring during a typical "day in the life"

Pre-Scheduling

Target Day > 28 days

**Initial Scheduling** 

Target Day > 7 days

Final Scheduling

Target Day > 2 days

**Daily Scheduling** 

Target Contact > 6 hours



### Monday, March 27, 2000

- EOC receives/reformats latest AM-1 FDF ephemeris and orbit events
- EOC distributes FDF Data to ISTs and ASTER ICC
- CERES IST modifies its Biaxial Scan Baseline Activity Profile definition
  - Uses BAP Definer tool to add Solar Calibration Activity
- CERES IST and other instrument teams submit Baseline Activity Profiles
- ASTER submits resource estimate
- EOC integrates instrument resource estimates with spacecraft activities
- EOC negotiates with NCC for TDRSS contacts
- MODIS schedules deviations from its Baseline Activity Profile
- ASTER submits activity list to EOC
- MISR IST schedules memory microprocessor load
  - Uses Load Scheduler Tool
- EOC creates conflict free Detailed Activity Schedule
  - Uses Releaser Tool to lock 24 hour scheduling period
- EOC generates ground script and ATC load, schedules ATC uplink
- Due to an anomaly, EOC incorporates late change from MODIS

8 AM 5 PM

# NASA'S MISSION TO PLANET EARTH DATA INFORMATION SYSTEM EARTH OBSERVING SYSTEM

# **Scheduling Tools**

<u>Resource Model</u> - Background process that models the behavior of the system <u>Activity Definer</u> - Tool used to create, edit, store and remove activity definitions

from the project database

<u>BAP Definer</u> - Tool used to create, edit, store and remove Baseline Activity Profile definitions from the project database

<u>Label Activity Scheduler</u> - Tool used to schedule mock (label) activities

**<u>Timeline</u>** - Tool for visually displaying the states of resources through time

<u>Instrument Activity Scheduler</u> - Tool used to schedule activities for instruments and spacecraft subsystems

<u>Plan Permission</u> - Tool used to restrict scheduling access

TDRSS Activity Scheduler - Tool for scheduling TDRSS contact times


<u>Load Uplink Scheduler</u> - Tool for transferring loads to the EOC and for scheduling of load uplink times


RTS Load Builder - Tool for creating the contents of the RTS load


**Table Load Builder** - Tool for creating the contents of the table loads

**Daily Plan Tool** - Tool for releasing the Detailed Activity Schedule


# Scheduling Tools (cont.)








# **Scheduling Overview**





# **Pre-Scheduling Overview**

### Define project database

- Build activity definitions
- Build instrument Baseline Activity Profiles from list of activities


### **Handle Long Term Plans**

- Long Term Science and instrument plans from SMC
- Create Long Term spacecraft operations plans


### **Handle FDF Planning Aids**

- Receive and reformat Flight Dynamics Facility Orbit Data
- Distribute FDF Orbit data to ISTs and ASTER ICC


# Activity to Command Mapping Example




### CERES Commands, Activities and BAPs




### MODIS Commands, Activities and BAPs




### **ASTER Commands and Activities**



MISR, MOPITT Commands and Activities



# **Activity Defining Description**



Define activities for aid in Planning and Scheduling

**Activities consist of** 

- One or many commands
- Parameters required for modeling spacecraft and instrument characteristics (e.g. power and data rate requirements)
- Parameters that affect activity expansion (e.g. command relative time offsets)


Activity parameter limits checked for health and safety
Activity Definitions created by Activity Definer tool, stored in the project
database

- Changeable during life of mission
- Later used by Activity Scheduling tool

Allowing activities to map to one or many commands


- Provides flexibility in scheduling command or activity level
- Fills needs of many users

# **Activity Defining Object Diagram**




See following page.





_	Activity Definer Window	
Resource T	pe Ceres <u>i</u>	
Activity I	Ceres Biaxial Scanį́	
Power	15 Wattsį	
Data Rate	5 kbpsį	
	Commands	
L	ad Save Reset	

# CERES Activity Defining Scenario



CERES instrument planners, using the Activity Definer Tool, select resource type where activity will be scheduled

A new activity definition created with unique name (e.g. "CERES Biaxial Scan")

CERES instrument planner creates/edits list of commands for a "CERES Biaxial Scan" using Procedure Builder

The "CERES Biaxial Scan" activity may represent:

- Single command
- List of single commands


Commands configured in project database

**CERES** planner sets values for :


- Power and data rate parameters required for resource modeling
- Command relative time offsets for activity expansion

CERES activity parameters checked for instrument health and safety Activity Definition stored in the project database





See following page.



# **BAP Defining Description**

Define Baseline Activity Profiles used to aid Planning and Scheduling Baseline Activity Profiles

- Represent a list of activities
- Used to simplify repetitive scheduling

Activities must be defined in project database


Entered via Activity Definer tool

**BAP** Definition activities modifiable

- Specify event triggers
- Variable parameters


BAP Definition stored in project database

- Changeable during life of mission
- Later used by Activity Scheduling tool



# **BAP Definer Display**

	BAP Definer Window	a a
Resource Type	Čeres	
BAP Name	Čeres Biaxial Scan Baseline Activity Profile	
BAP Period	į̃l Orbit	
Activity List		
Biaxial Short Scan Biaxial Scan Solar Calibration		Add
4		Delete
Activity Types		
Biaxial Short Biaxial Scan Fixed Scan Soloar Calibra		



# **CERES BAP Defining Scenario**

CERES instrument planners, using BAP Definer Tool, select CERES as resource type where BAP activities will be scheduled

New BAP definition created with Planner specifying unique name (e.g. "CERES Biaxial Scan Baseline Activity Profile")

CERES instrument planner selects activities, adding them to BAP list (e.g. a "Biaxial Scan Activity" followed by a "Biaxial Short Scan Activity")

"Biaxial Short Scan Activity" edited to define orbital event that will trigger activity (e.g. a sunrise or sunset event using the Activity Definer tool)

Repeat period for BAP (e.g. 1 orbit) entered


**Baseline Activity Profile Definition stored in FOS database** 

# Long Term Planning Object Diagram



See following page.

# **Long Term Planning Description**



### **Handle Long Term Plans**

- Receive Long Term Science and Instrument Plans from SMC
- Create Long Term Spacecraft Operations Plan
- Store plans in database

Plans stored in textual format in FOS Data Management

All plans retrievable in text form


Instrument and spacecraft activities can be viewed on timeline

- Use Label Activity Scheduler
- Visual display of plan on timeline


### Visual display of plans


- Provides common tool
- Assists instrument and spacecraft FOT planners


Portions of instrument and spacecraft plans can be retrieved in timeline display form




# **Long Term Plans Display**







# **Long Term Planning Scenario**



Long Term Science and Instrument Plans for AM-1 received by FOS from SMC

Long Term Science and Instrument Plans for AM-1 stored in project database in text format

FOT personnel generate AM-1's Long Term Spacecraft Operations Plan in text form

The Label Activity Scheduler used to lay out five-year orbit maneuver plan for AM-1 spacecraft

### **FOT** operator

- Selects resource AM-1
- Selects "Label Activity"
- Gives "Label Activity" name, "Orbit Maneuver", and color
- Schedules "Label Activity"

"Label Activity" displayed on timeline as a mock "Orbit Maneuver" activity


AM-1 orbit maneuver visual plan stored in FOS database





See following page.





### **Handle FDF Planning Aids**

- Receive and reformat Flight Dynamics Facility Orbit Data
- Distribute FDF Orbit data to ISTs and ASTER ICC

### **FDF Planning Aids consist of:**

- Ephemeris and attitude offsets for orbit maneuver
- Orbital events including spacecraft ground track
- TDRSS contact availability periods
- Predicted site acquisition tables (PSATs)


Reformatted for scheduling use and table load generation FORMATS trade study

Preliminary analysis results favor use of FORMATS


Orbital events modeled as spacecraft states


- IST visibility for instrument planners
- Distribution handled automatically

Ephemeris distributed via database due to large volume of data



# **FDF Data Flow Diagram**





# **AM-1 FDF Ingest Scenario**

AM-1 orbital data received from Flight Dynamics Facility at GSFC EOC FDF Data automatically reformatted by FORMATS and stored in project database

**FDF Data sent to SDPS Ingest** 

FOT personnel, using Table Load Builder, generate FDF Table Loads for future uplink to AM-1 spacecraft

Orbital events reformatted for AM-1 spacecraft state model

TDRSS availability periods modeled as TDRSS spacecraft state

AM-1 and TDRSS state models allow

- Automatic distribution to geographically distributed ISTs and ASTER ICC
- Display via timeline at EOC and IST to assist FOT and instrument planners